TUMKUR DIVISION.

ADVERTISEMENT.

The 28th November 1887.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Tumkur Division, up to 1st January 1888, for restoring the Handenhalli Tank, Sira Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1889.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Tumkur between the hours of 11 to 4 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government promissory notes, as earnest money, and be superscribed "Tender for restoring the Handenhalli Tank, Sira Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Secretary, Public Works Department, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Detailed Abstract Estimate of restoring Handenhalli Tank, Registered No. of Sira Taluk.

Items of Work.	Per.	Quantity.	Rate.	Cost.
Bund.				
Earthwork	C. Yd.	131,394		
New stone work	do	6,257		
Old stone work	do	2,275		
Bench Mark stones	Each.	2		
Grade stones	do	41		
Excavation	C. Yd.	2,625		
Total.. .	..	..		
Sluices.				
2 Sluices	L. S	1,000		
Waste Weir.				
Excavation	C. Yd.	20,000		
Brick in chunam	C. Ft.	14,087		
Chunam plastering	Sq.	37·52		
Covering slabs	S. Ft.	938		
Total...	..	..		
Distribution.				
Sluice channel on both sides	L. S.	5,000		
Miscellaneous.				
Compensation of lands submerged	..	1,514		

C. T. DALAL,
Executive Engineer.

511

MYSORE DIVISION.

ADVERTISEMENTS.

The 28th November 1887.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Mysore Division, up to 15th December 1887, for improving Narasambudhi tank, Registered No. 1, Nanjangud Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1889.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Mysore between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government promissory notes, as earnest money, and be superscribed "Tender for improving Narasambudhi tank, Registered No. 1, Nanjangud Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Secretary, Public Works Department, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract of Quantities.

Items of Work.	Per.	Quantity.	Rate.	Cost.	Total.
Earth excavation in soft earth	C. Yd.	6,420			
Do do in gravel	Do	3,606			
Do do rock . ..	Do	282			
Do do embankments for channel.	Do	8,052			
Old stone revetment	Do	1,000			
New do	Do	1,710			
Brick in mortar	C. Ft.	7,899			
Slab stones	S. Ft.	215			
Plastering	Sq.	106			
Teakwood shutters	C. Ft.	18			
Archwork	Do	716			
Gravelling	C. Yd.	291			
Dismantling	C. Ft.	1,704			
Clearing jungle	Mile.	2½			
Grade stones for tank	Each.	75			
Do for channel	Do	132			
Index stones do	Do	84			
Do do	Do	48			
Mile stones	Do	6			
Furlong stones	Do	42			
Earthwork embankment for tank.. ..	C. Yd.	37,994			

The 28th November 1887.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 15th December 1887, for improving and extending Kemman Channel near Maddur. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of January 1889.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement either in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 25 in cash or Government promissory notes, as earnest money, and be superscribed "Tender for improving and extending Kemman Channel," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract of Quantities.

Items of Work.	Per	Quantity.	Rate.	Cost.	Total.
Excavation in soft earth	C. Yd.	5,711			
Do in mixture of gravel and earth ..	do	4,802			
Do in gravel	do	6,071			
Do soft rock and hard earth or gravel ..	do	226			
Embankment	do	57			
Brick in chunam	C. Ft.	2,300			
Plastering	Sqr.	1,400			
New stone work	C. Yd.	109			
Old do	do	67			
Rough stone in chunam	C. Ft.	11·50			
Slab stone	do	84			

V. H. KARVE, L. C. E.,
Executive Engineer.

KOLAR DIVISION.

ADVERTISEMENT.

The 10th November 1887.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 5th December 1887, for extending the Urigam Gold Field Railway Feeder to

513

Kamasamudram. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1889.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Kolar between the hours of 11 A. M. and 4 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. —— in cash or Government promissory notes, as earnest money, and be superscribed "Tender for extending the Urigam Gold Field Railway Feeder to Kamasamudram," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within 8 days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Description of Work.		Approximate Quantity.	Rate per C. Yd.
Earthwork, ordinary soil	C. Yds. .	52,710	
Do rocky soil.. . ..	do ..	21,443	
Turfing	L. S. ..	..	
Clearing jungle	Furlongs..	41	
Blasting rock	L. S. ..	..	
Removing boulders	do ..	..	
Rough stone revetment	C. Yds...	200	
Forming the road	Furlongs..	52	
Rough metal..	C. Yds..	2,000	
Mile stones	No..	7	
Furlong stones	No..	52	
Sign post	No..	1	
Collection of metal	C. Yds..	5,720	
Carting metal, 2 miles lead..	do ..	1,980	
Do 1 do	do ..	880	
Do ½ do	do ..	440	
Do ¼ do	do ..	2,420	
Collection of gravel	do ..	4,449	
Carting gravel, 2 miles lead	do ..	1,539	
Do 1 do	do ..	684	
Do ½ do	do ..	342	
Do ¼ do	do ..	1,197	
Consolidation of metal	do ..	5,720	
Do gravel	do ..	4,449	

Tunnels.

21 of 1 vent 3 × 3 ..	Total No. 25.	
1 of 1 vent 3 × 5 ..		
1 of 1 vent 3 × 6 ..		
1 of 1 vent 4 × 6 ..	*Culverts.*	
1 of 2 vents 5 × 5 ..		
1 of 10 vents 5 × 5 ..		

Y. SRINIVASA RAO,
Executive Engineer.